



Emergency lighting
 Fire detection
 Gas detection
 Burglar alarm
 Thermostats
 Hotel Access

European
 manufacturer



www.olympia-electronics.com




est. 1979

**olympiaTM
 electronics**

SAFETY & SECURITY SYSTEMS

for a safer world!



Established in

1979

THE COMPANY

Innovative electronic safety and security systems

201 employees with 10% of human resources in Research & Development Department (R&D)

Strong presence in over 72 countries worldwide

Pure Greek Company

Certified products according to the European standards

Dedication to

QUALITY

OLYMPIA ELECTRONICS S.A. aiming in the quality, has adopted in the last years, production and inspection procedures that have supplied the market with products that are totally in accordance with European construction prototypes (EN).

For the production, the company applies advanced systems "world class manufacturing" such as lean systems, TPM, 5S which give it competitive advantages.

Its products allocate certificates from various laboratories such as LLOYD'S, BSI, LPCB, H.E.E.Q.A.C., EVPU etc.



for a safer world!



**European
manufacturer**



Some of our

PROJECTS

AIRPORTS (GREECE)

Heraklion, Chania, Sitia, Lefkada, Thessaloniki, New Aghialos, Mykonos

HOSPITALS (GREECE)

General University Hospital of Larissa, Paidon Pentelis, Henry Dunant Hospital Center, Evangelismos

TUNNELS (GREECE)

National Road of Athens - Thessaloniki, National Road of Athens - Kalamata, Egnatia Odos, Underwater tunnel Aktio - Preveza, Rio - Antirio Bridge.

VARIOUS INSTALLATIONS (GREECE)

Helicopter Base of Marathon, Olympic Village, Olympic games committee, Stadium of Eirinis & Filias, Technological Institute of Heraklion, University of Chania, Shopping Mall SATURN / Thessaloniki, Macedonian Thrace Brewery SA / Komotini, TAP / Cosmos Offices Thessaloniki.

HOTELS (GREECE)

Grand Serai / Ionnina, Grand Hotel /Thessaloniki, Mediterranean Palace Hotel / Thessaloniki, Mediterranean Village / Katerini, Caldera Palace / Heraklion Crete, Hilton / Athens, Pentelikon / Athens, King George / Athens, Hotel Grande Bretagne / Athens, Sofitel (airport) / Athens.

AIRPORTS (INTERNATIONAL)

Arlanda Airport / Sweden
Landvetter Airport / Sweden
Lisbon Airport / Portugal
New Delhi Airport / India
Frankfurt Airport / Germany
Doha International airport / Qatar

HOTELS (INTERNATIONAL)

Hotel Asplund / Sweden, Movenpick / Petra, Jordan, Le Royal Hotel / Dbayeh, Libanon, Desert Night Camp / Oman

VARIOUS INSTALLATIONS (INTERNATIONAL)

Frescati university library / Sweden, Happel Stadium / Vienna, Austria, Schwerin metro / Germany, Better Life Appliances for Cayan Tower/ Dubai, Hushagsgymnasiet school / Sweden, Sportsarena Änglagården / Sweden, Twin Tower / Libanon, Kadrah Grid Station / Oman, ARGO OFFICES / Prague, Czech Republic, Prioritet Serneke Arena / Sweden, Press conference center of the Olympic Games Rio/Brazil

SHOPPING MALLS (INTERNATIONAL)

Armada shopping center / United Kingdom, Solaris shopping center / Estonia, Bergvik shopping center / Sweden, El Corte Inglés / Spain, Shopping center Mittl city / Sweden.



EXPORTS

We export to
72 countries
of Abroad





EMERGENCY LUMINARIES



SLIM LIGHT

GR-8/leds
Maintained/
Non-maintained



SLIM LEDs LIGHT

GR-2100/ST/M,
GR-2100/ST
GR-2100/OPAL
Maintained /
Non-maintained /
Self-contained /
Self-testing

Wooden base in three colors



SLIM LIGHT

GR-2000
Maintained /
Non-maintained /
Self-testing



EASY LIGHT

Maintained/
Non-maintained /
Self-testing /
Self-contained / CBS



WEATHER LIGHT

GR-9xx
Maintained /
Self-testing /
Supercapacitor



WEATHER LIGHT

GR-19xx
Maintained/
Non-maintained /
Self-testing /
Self-contained / CBS



innovation
without
batteries

10
years
guarantee

Using supercapacitors in place of conventional batteries, is the most modern and sophisticated solution in emergency luminaries.



NEW

OLYMPUS

Maintained /
Self-testing



TETRAGONO LIGHT

Non-maintained /
Self-testing



SPOT LIGHT

Non-maintained/
Self-testing /
Self-contained / CBS

EMERGENCY LUMINARIES



KLIN

NEW
LINEAR LIGHT



KLD



KLR

NEW
ECO LIGHT

KLD, KLR
Maintained/
Non-maintained /
Self-testing /
Self-contained / CBS



NEW
BAU LIGHT GR-75x/ST/xx
Non-maintained /
Self-testing

LED LIGHT BOX
Maintained/
Non-maintained /
Self-testing /
Self-contained / CBS



ECO LIGHT
CLD
Maintained/
Non-maintained /
Self-testing



ECO LIGHT
PLD-25
Maintained/
Self-testing /
Self-contained / CBS



ECO LIGHT
ZLD
Maintained/
Non-maintained /
Self-testing /
Self-contained / CBS



3D LIGHT
for tunnels
Maintained/
Non-maintained /
Self-testing



POWER LIGHT
GRL
Non-maintained /
Self-testing





EMERGENCY LUMINARIES 230V AC & 24V DC CENTRAL BATTERY SYSTEM

Benefits of CBS

Better Energy efficiency compared to self-contained luminaries.

Low maintenance cost. The batteries in a CBS system are located in the main panel. This saves a lot of time and money during maintenance, inspection or when batteries need to be changed.

More effective inspection. With CBS panels you have the ability to inspect the function of all luminaries from the main panel. The self-testing system provides information regarding the current status of the installation.

The cost of the CBS luminaries is comparable to self contained luminaries. Therefore, the long term cost might be significantly decreased, due to reduced maintenance costs of the CBS systems



230V AC CENTRAL BATTERY SYSTEM

Panels 300VA/1h or 100VA/3h

Requires 2 batteries 12V/33Ah

GR-9500/300/4 4 lighting circuits
GR-9500/300/8 8 lighting circuits

Panel 600VA/1h or 200VA/3h

Requires 2 batteries 12V/55Ah

GR-9500/600/8 8 lighting circuits

Peripherals

GR-9510 4 zone lighting circuit
extension card
230V / 300 VA

GR-8530 ETHERNET card



24V DC CENTRAL BATTERY SYSTEM

Panels 300W/1h or 100W/3h

Requires 2 batteries 12V/33Ah

GR-8500/300/4 4 lighting circuits
GR-8500/300/8 8 lighting circuits
GR-8500/300/12 12 lighting circuits
GR-8500/300/16 16 lighting circuits

Panels 600W/1h or 200W/3h

Requires 2 batteries 12V/55Ah

GR-8500/600/8 8 lighting circuits
GR-8500/600/16 16 lighting circuits

Peripherals

GR-8510 4 zone lighting circuit
extension card
24V / 300 Watt

GR-8530 ETHERNET card

FIRE DETECTION SYSTEMS ADDRESSABLE & CONVENTIONAL



IP30



ADDRESSABLE FIRE DETECTION PANEL

BSR-2104 & BSR-2114
Addressable fire detection
panel 2 or 4 loops/96 zones
with extension capability



BSR-2000
Repeat panel
for the panels
BSR-21xx



EVPU



BS-531 IP42C
Siren, 88dB
BS-531/1/WP IP65
Siren with beacon



EVPU



BSR-5036/A
Box-535
Addressable fire
detection call point



CONVENTIONAL FIRE DETECTION SYSTEMS

BS-1619
Fire detection set



BS-655
Optical smoke
detector

EVPU



**BS-1638, BS-1642,
BS-1646**
Fire detection panels
8, 12 & 16 zones



**BS-1632, BS-1634
BS-1636**
Fire detection panel
with 2, 4 or 6 zones



GAS DETECTION SYSTEMS

IP30



Analogic gas detection panels

BS-304, BS-308, BS-312, BS-316
4 - 16 gas detector inputs
4-20mA

IP65



TS-282/x
Waterproof detector:
LPG gas,
natural gas,
carbon monoxide,
ammonia

IP55



II 2 G Ex d IIC T6 Gb, -20°C ≤ Ta ≤ +60°C

TC100N/xxx
Antiexplosive type detector:
LPG gas, natural gas, steam,
gasoline and diesel



II 2 G Ex d IIC T6 Gb, -20°C ≤ Ta ≤ +60°C

TS-293/x
Antiexplosive type detector

NEW



IP65

BS-375/WP/A
Waterproof detector:
LPG gas
with relay (24V)

BS-377/WP/A
Waterproof autonomous
detector: LPG gas
with relay (230V)

IP66



BS-658
Carbon monoxide detector
(24V ±25%)

NEW



IP65

BS-376/WP/A
Waterproof detector:
natural gas, methane
with relay (24V)

BS-378/WP/A
Waterproof autonomous
detector: natural gas, methane
with relay (230V)

IP40

IP42



BS-694
Detector
LPG gas 230V with
output relay 12V DC

BURGLAR ALARM SYSTEMS



**OLYMPIA ALARM
MOBILE APPLICATION
(i-Olympia)**

BS-468/A/WL/KIT WIRELESS BURGLAR ALARM SET

BS-468/A/WL Wireless burglar alarm panel with BS-479 wireless zone extender

BS-477/SL Wireless touch keypad with graphics LCD display and backlight

BS-475 Wireless solar outdoor siren with beacon and battery A-1210

BS-470 Wireless infrared motion detector

BS-471 Wireless magnetic contact for doors and windows

BS-429/W Wired magnetic trap for doors and windows

RF-467 Remote control transmitter for arming / disarming

RF-468/A Wireless remote receiver 433MHz

BS-479 Wireless zone extension card

A-986 Lead Acid Battery 12V/7Ah

PC-468/A Installation software and type B USB cable



**OLYMPIA ALARM
MOBILE APPLICATION
(i-Olympia)**

BS-468/A/KIT BURGLAR ALARM SET

BS-468/A/KEYPAD 1 Burglar alarm panel with keypad BS 466/A

BS-413 1 Autonomous siren & beacon with battery A-989 12V 1.3Ah

BS-405/A 1 Infrared motion detector

BS-429/W 2 Magnetic traps (white) NC

A-986 1 Lead Acid Battery 12V/7A

PC-468/A 1 Installation software and type B USB cable

A-989 1 Lead Acid Battery Pb 12V/1.3Ah



**OLYMPIA ALARM
MOBILE APPLICATION
(i-Olympia)**

BS-458/KIT BURGLAR ALARM SET

BS-458 1 Burglar alarm panel with siren & embedded keypad

BS-413 1 Autonomous siren with beacon & battery A-989 12V 1.3Ah

BS-405/A 1 Infrared motion detector

BS-429/W 2 Magnetic traps (white) NC

A-989 1 Lead Acid Battery Pb 12V / 1.3Ah

A-986 1 Lead Acid Battery 12V/7Ah

PC-468/A Installation software and type B USB cable





RF-52/A/D
Waterproof (IP65) RFID card reader with room number indication display for RF-54/A



RF-52/A
Waterproof (IP65) RFID card reader with display for RF-54/A



RF-53/A
RFID card reader for RF-54/A



RF-50/T
Laser printed control card for lighting & A/C for:
RF-52/A
RF-52/A/D
RF-53/A



RF-54/A
Door lock, lighting & A/C control unit (2x25A)



RF-57/A
Control unit for lighting & A/C

- Easy connection.
- Easy and fast programming.
- Capability to program up-to 20 personnel card with access to all rooms (RF-54/A).
- Capability to program up-to 20 customer cards with lighting only or lighting & air-conditioner access at the same time (RF-54).
- The system is autonomous and does not demand network communication with the rest hotel accommodation.
- The RF-52/A card reader is waterproof with IP 65 cover protection.
- RF-50 cards have the capability of laser printing of the hotel logo and the number of the rooms, on demand under the product-type RF-50/T.
- The RF-54/A control unit has 2 relays 230V AC/25A and 1 output for electric door locks 12V AC/DC-1,5A.
- The control device RF-54/A locks on an electrical rail.



OLYMPIA ELECTRONICS THERMOSTAT



NEW

Wi Fi



BS-850 KIT
BS-851 KIT

WiFi programmable room thermostats with 2 alkaline batteries AA



BS-818/KIT (with burner outlet)
BS-819/KIT (with burner outlet & Boiler)

WiFi programmable room thermostats heating/cooling with 2 alkaline batteries AA

25% economy

- High aesthetics
- Slim profile 27mm
- Easy programming
- Programming on a weekly or daily basis
- Multi function LCD display with backlight
- Function with 2 alkaline batteries AA



BS-812

Programmable electronic thermostat with battery

+ BS-812/A anthracite color



BS-841

Recessed programmable energy fireplace thermostat with speed adjustment



BS-840

Programmable energy fireplace thermostat with speed adjustment



BS-844/2

Recessed thermostat for wood burners



www.olympia-electronics.com

European
manufacturer



The company is certified by

SWISS APPROVAL
Objectively True
ISO 14001, OHSAS 18001, ISO 90001

F-000-000